



 4-WAY STRETCH  ULTRA STRONG  SUITABLE FOR ALL SURFACES

*super* **FLEX** 

# SPECIFICATION



Superflex is a high quality super flexible non-woven product suitable to fit any shapes and surfaces. Due to the unique 4-way stretch formula Superflex is quick and easy to install. Superflex is a safe solution which meets the highest possible flammability rating Bfl-s1.

- **SUPER FLEXIBLE - 4 WAY STRETCH**
- **ULTRA STRONG**
- **SUITABLE FOR ALL SURFACES**
- **SOUND ABSORBING**
- **EASY TO MOULD**
- **MADE WITH RECYCLED MATERIAL**
- **ROLL WIDTH – 2.06 METRES**
- **40 METRE LENGTH ROLLS AS STANDARD**  
- other lengths are often available
- **SAFE SOLUTION**
- **HIGH QUALITY - MADE IN EUROPE**
- **ANTI-STATIC**
- **EASY TO CLEAN**
- **COLOURFAST**
- **FIRE RESISTANT Bfl-s1**
- **COMPETITIVELY PRICED**  
- bulk discounts available

Manufacturing process	Needlefelt				
Surface Aspect	Dilour				
Width	206 cm, 137 cm				
Backing	XX				
Fibre Composition	100% PES				
Total fibre weight of use surface	300 gr/m <sup>2</sup>				
Total Weight	300 gr/m <sup>2</sup>				
Total Height	4.4 mm				
Colour Fastness to Light	≥ 5				
Colour Fastness to Rubbing, wet & Dry	≥ 4				
Colour Fastness to Water	≥ 4				
Electrostatic Charging	< 2kV				
Impact Sound Protection ▲LW	10 dB				
Acoustical Sound Absorption αS	Hz	125	250	500	1000
	αW	0.01	0.04	0.08	0.14
Evaluated Sound Absorptions Grade αW	0.15				
Flammability	Bfl-s1				



Scan below to see the Superflex range on our website



**SILVER**

*super***FLEX**

**50425**

**SMOKE**

*super***FLEX**

**50426**

**ANTHRACITE**

*super***FLEX**

**50427**

**BLACK**

*super***FLEX**

**50428**

**BLUE**

*super***FLEX**

**50429**

**WHEAT**

*super***FLEX**

**50430**



**CONTACT US OR VISIT OUR WEBSITE FOR MORE INFORMATION**

**[www.grassroutesleisure.co.uk](http://www.grassroutesleisure.co.uk)**

**T: 01963 824792 E: [info@grassroutesleisure.co.uk](mailto:info@grassroutesleisure.co.uk)**

15 Bennetts Field, Wincanton, Somerset BA9 9DT